

CV of : BHARAT JI VERMA

Date 31/05/2023

Position : **FIBER OPTIC TECHNICIAN**

page 1 of 3

JOB PROFILE : FIBER OPTIC & TELECOM & INSTRUMENT TECHNICIAN

PERSONAL INFORMATION

NAME : BHARAT JI VERMA
DATE OF BIRTH : 02-02-1984
QUALIFICATION : 12th
PASSPORT NUMBER : V5134827
MARITAL STATUS : MARRIED
PRESENT ADDRESS : CONTROL & APPLICATIONS EMIRATES P.O. BOX 3687, ABU DHABI
NATIONALITY : INDIAN
MOBILE & EMAIL ID : +971 502715640 +91 7081387422 bharatjeeverma@gmail.com



PROFESSIONAL EXPERIENCE OVER 13 YEARS 6 MONTH WORK EXPERIENCE.

Travel Safety By Boat Basic opito H2S Training Adco Offshore Safety	Opito Approved Course (Emirates Safety Technical Department Centre, Abu Dhabi
Professional Qualification	Two years ITI (Industrial Training Institute) Training of “ Electrician “ from utter Pradesh , india
COMPUTER LITERACY	Basic Computer Knowledge & internet

FIBRE OPTIC & TELECOM TECHNICIAN :

WORKING AS A FIBER OPTIC TECHNICIAN IN A SPANISH COMPANY WITH HIGH STANDARD ACCREDITED FOR BS ISO 9001 :
2000 AND QUALITY ELECTRICAL & INSTRUMENTATION FIBER NETWORK CONTRACTOR WITH A LARGE EXPERIENCE IN
DESIGN, ENGINEERING , PROCUREMENT ,SUPPLY, INSTALLATION ,COMMISSIONING AND MAINTENANCE SERVICE FOR
INSTRUMENTATION , CONTROL SYSTEMS ,ELECTRICAL FIELD & IT PROJECTS IN GULF COUNTRIES FOR MAJOR OIL AND GAS
INDUSTRIES LIKE , GASCO, ADCO, ARAMCO TAKREER, ETC.....

❖ **ORGANIZATION** : CONTROL & APPLICATIONS EMIRATES , ABU DHABI , UAE
DATE : **MAY 2015 – AT PRESENT**
POSITION : SR. FIBER OPTIC & TELECOM TECHNICIAN
CERTIFICATE : EXPO FTB- 200 & NOYES M200/M210 & AFL FS300 SM/MM OTDR TESTER.
PROJECT : LOVER & UPPER ZACUM 750 , NORTH ISLAND / SOUTH ISLAND / WEST ISLAND / CENETRAL
ISLAND / ZADCO ISLAND/ADNOC OFFSHORE PLATFORM ACPT/ZACUM WEST /
ZACUM CENTRAL BUNDUQ PLATFORM & UMM SHAI F PLATFORM & **D.O.F. ON GOING**

❖ **NATURE OF JOB :**

- FUSION SPLICER MACHINE SELF-OEM BRAN AND WORLD BRAND,FUJIKURA-60S,70S,80S T-39 SPLICER.
- DCM FUSION SPLICER TYPE -39/ TYPE 71C MICRO CORE SUMITOMO ELECTRO
- MM (MULTI MODE) SM (SINGLE MODE) FIBER CABLE SPLICING
- OTDR (OPTICAL TIME DOMAIN REFLECT METER) TESTING.
- OPTIC POWER METER LASER SOURCE TESTING (EXPO& JDUS & NOYES) LIGHT TESTING.
- MAKING OF THE SC-UPC PIGTAIL MANUAL
- PREPARING AND CHECKING OF REPORTS.
- IMPARTING TRAINING OF SPLICING, OTDR, LINK LOSS MEASUREMENT, MAINTENANCE PERSONNEL TO
- MINIMIZE OUTAGE OF NETWORK DURING NETWORK OUTAGES
- TELE COMMUNICATION CABLE (CAT 6, CAT 6A, CAT 7A CAT 5, R J45)TERMINATION AND TESTING
- INSTALLATION OF ODF , DISTRIBUTION HUB 10U ODF &42U ODF
- INVOLVED IN TELECOM PRE-COMMISSIONING & COMMISSIONING ACTIVITIES LIKE FUNCTION TESTING OF PAGA,CCTV
AND TELEPHONE SYSTEMS AND INTEGRATION OF TELECOM SYSTEMS WITH NETWORK SERVICES IN MINIMUM
RESTORATION TIME BY JUSTIFYING THE SAME IN FIR/FAR REPORT

- ❖ ORGANIZATION : DANWAY ELECTRICAL & MECHANICAL ENGG LLC, ABUDHABI
- DATE : 23-4-2011 TO 03-06-2015
- POSITION : SR. FIBRE OPTIC TECHNICIAN com SUPERVISOR
- CERTIFICATE : EXFO FTB-200 MM/SM OTDR NOYES M210 & M200
- PROJECT : RRE #3 (RUWAIS REFINERY EXPANSION)
- ❖ ROLE AND RESPONSIBILITY :
 - MM (MULTI MODE), SM (SINGLE MODE) FIBER CABLE SPLICING. DCM FUSION SPLICER TYPE -39 OTDR (OPTICAL TIME DOMAIN REFLECTOR METER) TESTING.
 - OPTIC POWER METER TESTING (EXPO & JDUS) LIGHT TESTING
 - IMPARTING TRAINING OF SPLICING, OTDR, LINK LOSS MEASUREMENT, MAINTENANCE PERSONNEL TO
 - MINIMIZE OUTAGE OF NETWORK DURING NETWORK OUTAGES
 - INSTALLATION OF ODF, DISTRIBUTION HUB 10U ODF & 42U ODF
 - SC-UPC PIGTAIL. MAKING OF THE MANUAL
 - INVOLVED IN TELECOM PRE-COMMISSIONING & COMMISSIONING ACTIVITIES LIKE FUNCTION TESTING OF PAGA , CCTV AND TELEPHONE SYSTEMS AND INTEGRATION OF TELECOM SYSTEMS WITH OTHER SYSTEMS.

- ❖ ORGANIZATION : CONTROL & APPLICATION EMIRATES, ABUDHABI
- PROJECT : FUJAIRAH POWER PLANT PHASE 2
- POSITION : E & I com FOC TECHNICIAN
- DATE : JUN 2009 – JUN 2010
- ❖ ROLE AND RESPONSIBILITY :
 - FUSION SPLICER MACHINE SELF- OEM BRAND AND WORLD BRAND , FUJIKURA-60S ,70S ,80S T-39 SPLICER.
 - DCM FUSION SPLICER TYPE -39/ TYPE71C MICRO CORE SUMITOMO ELECTR.
 - MM (MULTI MODE), SM (SINGLE MODE) FIBER CABLE SPLICING.
 - OTDR (OPTICAL TIME DOMAIN REFLECTOR METER) TESTING.
 - OPTIC POWER METER TESTING (EXPO&JDUS) LIGHT TESTING.
 - SC-UPC PIGTAIL. MAKING OF THE MANUAL.
 - PREPARING AND CHECKING OF REPORTS.
 - TELE COMMUNICATION CABLE (CAT6, CAT6A , CAT7A CAT5,R J45) TERMINATION AND TESTING.
 - INVOLVED IN TELECOM PRE-COMMISSIONING & COMMISSIONING ACTIVITIES LIKE FUNCTION TESTING OF PAGA , CCTV AND TELEPHONE SYSTEMS AND INTEGRATION OF TELECOM SYSTEMS WITH OTHER SYSTEMS.

Nature of E & I Work

Job Description

- UNDERSTANDING AND IMPLEMENTATION OF TERMINATION DRAWING, CABLE SCHEDULE, LOGIC DIAGRAM, GENERAL ARRANGEMENT DRAWING, PIPING ARRANGEMENT DRAWING, AND WIRING DETAILS ETC.
- HAVE THOUGH KNOWLEDGE OF ELECTRONIC, PNEUMATIC FIELD DEVICES AND ALL TYPES OF PANEL, PRE COMMISSIONING, LOOP CHECKING, CONSTRUCTION, TERMINATION OF ALL TYPES OF JB AND PANELS, INSTRUMENT CONFIGURATION ETC.
- GOOD KNOWLEDGE ABOUT MV,LV, DISTRIBUTION TRANSFORMER, UPS SYSTEMS AND ALL ELECTRICAL AND INSTRUMENTS DEVICES AND PANELS
- GLANDING AND TERMINATION OF ELECTRONICS DEVICES SUCH AS PRESSURE ,TEMPERATURE,, LEVEL, FLOW TRANSMITTER AND CONTROLLER S, INSTRUMENT AND DIFFERENT MANUFACTURE LIKE ROSEMOUNT ,HONEYWELL, ABB MOORE YOKOGAWA, FUJI, FOXBORO,

- GLANDING AND TERMINATION OF ALL TYPES OF FIELD INSTRUMENTS, CONTROL VALVE, EMERGENCY SHUTDOWN ON/OFF CONTROL VALVE AND MOV, SWITCH PRESSURE, TEMPERATURE, LEVEL AND FLOW VIBRATION TRANSMITTERS. EXECUTE CONSTRUCTION ACTIVITIES LIKE CABLE LAYING CABAL PULING MEASURING AND TESTING AND TERMINATION.
- ASSISTANT TO VENDOR FOR FACTORY ACCEPTANCE TEST AND OPERATIONAL TEST PROCEDURE, VIBRATION MONITORING SYSTEM IN COMPRESSOR.
- INSTALLATION OF ALL TYPES TRANSMITTER LIKE PRESSURE, TEMPERATURE FLOW, LEVEL TRANSMITTER OF ROSEMOUNT, HONEYWELL.
- LOOP-CHECKING OF ALL TYPES OF MOTOR, SLOW RUN TEST OF ALL TYPES OF MOTORS AND LIGHTING SYSTEMS.
- MEGGER TESTING OF CONTROL CABLES, LOW VOLTAGE CABLES AS WELL AS HIGH VOLTAGES CABLES.
- INSTALLATION AND ALL TYPES OF JB'S AND ALL TYPES OF ELECTRICAL AND INSTRUMENT PANELS AS WELL AS TERMINATION AND GLANDING AS PER APPROVED CONSTRUCTION DRAWING.
- FIRE & GAS:
- HOLDING SPECIAL RESPONSIBILITY FOR THE MAINTENANCE OF FIRE AND GAS DETECTION AND ALARM SYSTEMS.
- FAULT FINDING AND RECTIFICATION FOR INSTRUMENTATION SYSTEMS.
- CARRYING OUT ISOLATIONS OF INSTRUMENT AND CONTROL SYSTEMS.
- CAPABLE OF GIVING STRONG ATTENTION TO DETAILS AND PROBLEM-SOLVING SKILL RELATED TO FIRE AND GAS.
- INSTALLATION AS WELL AS GLANDING AND TERMINATION OF ALL TYPES OF F&G DEVICES I.E. SMOKE DETECTOR, HEAT DETECTOR, FLAME DETECTOR, OPEN PATH DETECTOR,H2S DETECTOR AS WELL AS VESDA SYSTEM.
- FIRE AND GAS MONITORING AND TROUBLESHOOTING.
- INSTALLATION OF STRUCTURE CABLING FOR VOICE & DATA, ALSO GIVEN ASSISTANCE FOR COMMISSIONING.
- NSTALLATION OF FIRE & GAS SYSTEM DEVICES, GLANDING, TERMINATION, TESTING AND PROVIDING
- ASSISTANCE FOR COMMISSIONING.
- CAPABLE TO READ ELECTRICAL POWER AND CONTROL SYSTEMS DRAWINGS.
- AWARENESS OF PTW SYSTEM, ISOLATE/DE-ISOLATE PROCEDURES, OTHER RELATED PERMITS AND
- OTHER SAFETY POLICIES.
- ACQUIRING PERMIT TO WORK AND SUPERVISE THE WORK FORCE TO ENSURE THAT ACTIVITY HAS BEEN CARRIED OUT AS PLANNED.
- FOLLOW COMPANIES HSE POLICIES AND CARRY OUT ALL JOB WITH SAFETY PROCEDURES
-

CONCILIATION

IT IS CERTIFIED THAT THE PARTICULARS GIVEN ABOVE ARE CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEVE AND COULD BE SUPPORTED WITH RELEVANT DOCUMENTS AND NOTHING HAS BEEN CONCEALED BY ME.

PLACE :

SIGNATURE.

DATE :

(BHARAT JI VERMA)

15 November 2015
Ref: PE103/16-001/LET/CAE/0085

Control & Application Emirates
P.O. Box 3687,
Abu Dhabi, UAE

Attention : Mr. Bruce Embury, Director Operations

Subject : Upper Zakum 750 Islands Surface Facilities Project - EPC2
Project No. P7512 - Contract No. CT750 UZ110110
Subcontract No. PE103/16-001 - Electrical, Instrumentation, Telecom and CP Work
(E & I Works) at South & North Islands

CV's of FOC Technicians

Dear Sir,

This has reference with Contractor's letter No: PE103/16-001/LET/CAE/0070 dated 28th October 2015 followed by the Subcontractor's e-mail conveyed the OTDR Certificate's & the authorization letter No. RJW\Alphalink\LoA 2015 11 04 of SUMITOMO ELRCTRIC EUROPE LIMITED, Contractor approve the following Technicians of Subcontractor to carry out OTDR testing activities for Fibre Optic Cables (FOC).

S. No.	Document Name	CV's received Vide Transmittal No.
1	CV of Bharat Ji Verma (Fibre Optic Technician)	CAE-ADW-471-T124

Yours faithfully,

For and on behalf of
PETROFAC EMIRATES LLC


Ali Ruhayet
Construction Director

 RG/jay/mmo

Attachments: SUMITOMO ELRCTRIC EUROPE LIMITED Letter.No: RJW\Alphalink\LoA 2015 11 0
& the OTDR Certificates (Total: 3 Pages)

Response Required: NO

Required by:

220 Centennial Park,
Centennial Avenue,
Elstree,
Herts. WD6 3SL
UNITED KINGDOM
TEL: +44 (0)20 8953 8118
FAX: +44 (0)20 8953 8228
(Direct: +44 (0)20)

Date: 04 November 2015
My ref: RJW\Alphalink\LoA 2015 11 04
Your ref:
CC:

Alpha Link Technology LLC

To whom so every it may concern,

Please be advised that Alpha Link Technology LLC located at Warehouse No. 10, Sh. Saeed Bin Hasher Al Maktoum Rd., Al Quoz Industrial Estate, P.O. Box, 73729, Dubai, United Arab Emirates and a place of business at Sh. Hamdan Street, Opposite Liwa Center, P.O Box 76539, Bin Moosa Tower, 3rd floor, 302, Abu Dhabi, United Arab Emirates; is our authorized distributor to promote, demonstrate, sell, distribute, conduct training and provide after sales service for T71C, T71M and T55 Splicing Machine and its accessories to customers in UAE.

Contact Details:
Alpha Link Technology LLC
PO Box-76539, Abu Dhabi, UAE
Phone: +971-2-5621600
Fax: +971-2-5621601
Email: info@alphalinktech.com

Yours Faithfully



Russell Woolsey
Assistant Manager, EMEA, Lightwave Network Products Division





Alpha Link Technology LLC

P.O.BOX- 76539, ABU DHABI, UAE

Phone: +971-2-5621600 Fax: +971-2-5621601

Email: info@alphalinktech.com

Date: 12-August-2012

CERTIFICATE

This is to certify that Mr. BHARAT JI VERMA, M/s Danway Electrical And Mechanical Engineering LLC, P.O Box: 50048, Dubai, UAE has successfully completed the Operations Training on

- 1) SUMITOMO T-39 Splicing Machine
- 2) EXFO FTB-200 MM/SM OTDR
- 3) EXFO FLS-300 LIGHT SOURCE & FPM-300 POWER METER

conducted on 25th March, 2012 in our office in Dubai, UAE.

For Alpha Link Technology LLC,

Vinesh Mhalsekar
Customer Support Engineer

Jonny George
Director



Dubai office: P.O.Box : 73729, Dubai
Phone: +971-4-3383 922 Fax: +971-4-3387 324

1058/ 8841887

हाई स्कूल परीक्षा-अंक पत्र

2499773

माध्यमिक शिक्षा परिषद् उत्तर प्रदेश, द्वारा संचालित वर्ष २००८ की हाई स्कूल परीक्षा में निम्नलिखित परीक्षार्थी द्वारा प्राप्त अंकों का विवरण :-

अनुक्रमांक	परीक्षार्थी का नाम	जन्मतिथि	क्रमांक
2268378	BHARAT JI VERMA	01/06/88	8803803
विद्यालय/केन्द्र का नाम		परीक्षा प्रवर्ग	संस्था०/व्यक्ति०
S PARAMHANS I C MAJHAWALI BALLIA		FULL EXAM	REGULAR

विषय	अधिकतम अंक	प्रश्नपत्रवार प्राप्तांक	योग	सम्पूर्ण योग एवं परीक्षाफल
HINDI	100	1/27 2/17	044	318
ENGLISH	100	1/23 2/33	056	PASSED
MATHEMATICS	100	1/36 2/28	064	SECOND DV
SCIENCE	100	1/28 2/18 3/21 GR-B	067	
SOCIAL SCIENCE	100	1/22 2/21	043	CAT ME-B
AGRICULTURE	100	1/44 GR-B	044	

जांचकर्ता के हस्ताक्षर

दिनांक

नोट - आवश्यक सूचना पीछे मुद्रित है।

प्रधानाचार्य

के हस्ताक्षर

मुहर



प्रधानाचार्य

मुख्यालय - बलिया (उ.प्र.)

1728768

88/1058/8827401

अनुक्रमांक

2268378

माध्यमिक शिक्षा परिषद्, उत्तर प्रदेश

बोर्ड ऑफ हाई स्कूल एण्ड इंटरमीडिएट एजुकेशन, यूपी



हाई स्कूल परीक्षा, २००४

प्रमाणित किया जाता है कि परिषद् के अभिलेखानुसार

BHARAT J. VERMA

आत्मज/आत्मजा श्रीमती
एवं श्री

GYANTI DEVI

JAWAHAR VERMA

ने जिनकी जन्मतिथि

1ST JUNE NINETEEN HUNDRED EIGHTY EIGHT (01-06-88)

है, वर्ष २००४ की हाईस्कूल परीक्षा निम्नलिखित विवरण के अनुसार उत्तीर्ण की है -

1-HINDI

2-ENGLISH

3-MATHEMATICS

4-SCIENCE

5-SOCIAL SCIENCE

6-AGRICULTURE

CATEGORY OF MORAL EDUCATION-B

उत्तीर्ण श्रेणी

SECOND

विद्यालय/केन्द्र

S PARAMHANS I C MAJHAWALI BALLIA

प्रमाण पत्र क्रमांक

इलाहाबाद

दिनांक

8812617

REGULAR

31ST MAY, 2004.



(Signature)

(बासुदेव यादव)

सचिव

'D' का अर्थ सम्बन्धित विषय में 'विशेष योग्यता' है।
'HONOURS' का अर्थ 'सम्मान सहित उत्तीर्ण' है।
टीप-विषय का पूर्ण विवरण पृष्ठ भाग पर अंकित है।



माध्यमिक शिक्षा परिषद्, उत्तर प्रदेश

Board of High School and Intermediate Education, Uttar Pradesh
इण्टरमीडिएट परीक्षा वर्ष-२००६ (Intermediate Examination-2006)

1456465

अंकपत्र - Marks Sheet

अनुक्रमांक (Roll No.) परीक्षार्थी का नाम (Candidate's Name)

2202625

BHARAT JI VERMA

वर्ग (Group) क्रमांक (Sr. No.)

B1

186/119232

विद्यालय/केंद्र का नाम (School/Centre's Name)

P D INTER COLLEGE GAIGHAT BALLIA

परीक्षा प्रवर्ग (Exam Type)

FULL EXAM

संस्था/व्यक्तिगत (Regular/Private)

REGULAR

विषय Subject	अधिकतम अंक Max. Marks	प्रश्नपत्रवार प्राप्तांक Paperwise Obtained Marks	योग Total	सम्पूर्ण योग एवं परीक्षाफल Grand Total & Result
GENERAL HINDI	100	1/29 2/15 3/16	060	306/500
ENGLISH	100	1/30 2/32	062	PASSED
MATHEMATICS	100	1/25 2/22 3/18	065	FIRST DIV
PHYSICS	100	1/18 2/14 032 P/28	060	
CHEMISTRY	100	1/19 2/15 034 P/25	059	
SPORTS & PHY EDU.	100	1/45 P/42	087	

जांचकर्ता के हस्ताक्षर एवं दिनांक
Checker's Signature & Date

नोट: अंकपत्र सम्बन्धी आवश्यक सूचनाएँ पीछे मुद्रित हैं।
Note: For details about marks sheet please see overleaf.

प्रधानाचार्य के हस्ताक्षर एवं मुहर
Principal's Signature & Seal

[Signature]
प्रधानाचार्य
पी० डी० इण्टर कॉलेज
गायघाट, बलिया

क्रमांक (Sr. No.)

1216930

अनुक्रमांक (Roll No.)

2202625



इण्टरमीडिएट परीक्षा - २००६
Intermediate Examination - 2006

प्रमाणित किया जाता है कि परिषद् के अभिलेखानुसार
This is to certify that according to the Board's record

BHARAT JI VERMA

आत्मज/आत्मजा श्रीमती (son/daughter of Mrs.)

GYANTI DEVI

एवं श्री (and Mr.) **JAWAHAR VERMA**

ने मार्च/अप्रैल वर्ष 2006 की इण्टरमीडिएट की परीक्षा निम्न विवरणानुसार उत्तीर्ण की है :-

has passed Intermediate Examination held on March/April-2006 according to the following details :-

चयनित विषय (Name of the opted subjects) :

1. GENERAL HINDI

2. ENGLISH

3. MATHEMATICS

4. PHYSICS

5. CHEMISTRY

6. SPORTS & PHY EDU.

उत्तीर्ण श्रेणी (Division) - **FIRST**

विद्यालय/केन्द्र (School/Centre) - **P D INTER COLLEGE GAIGHAT BALLIA**

प्रमाणपत्र क्रमांक (Certificate No.) संस्था/व्यक्तिगत (Reg./Pvt.) दिनांक व स्थान (Date & Place)

8233346

REGULAR

21.05. 2006

Allahabad

'D' indicates Distinction in that particular subject.
'HONOURS' indicates candidate "passed with honour"
Note: For Important Instructions see overleaf.



(बासुदेव यादव)

(Basudeo Yadav)

सचिव (Secretary)

82047488

अन्तरिम राष्ट्रीय व्यावसायिक प्रमाणपत्र

क्रमांक 25722

राज्य व्यावसायिक प्रशिक्षण परिषद



उत्तर प्रदेश शासन, श्रम विभाग

श्री / श्रीमती / कुमारी **भरत जी वर्मा**
 सुपुत्र / पत्नी / सुपुत्री श्री **जवाहर वर्मा**
 अनुक्रमांक **12519250** ने **रा. औ. प्र. संस्थान, बलिया**
 (संस्थान का नाम व स्थान) से व्यवसाय **इलेक्ट्रिशियन** में प्रशिक्षण पूरा
 करने और माह **जुलाई** वर्ष **2006** में आयोजित अखिल भारतीय व्यावसायिक
 परीक्षा में निर्धारित व्यवसाय के अन्तर्गत परीक्षा उत्तीर्ण करने पर यह अन्तरिम प्रमाणपत्र
 प्रदान किया जाता है। राष्ट्रीय व्यावसायिक प्रमाणपत्र, राष्ट्रीय व्यावसायिक प्रशिक्षण परिषद
 द्वारा प्रदान किया जायेगा।
 इनकी प्रशिक्षण अवधि अगस्त **2004** से जुलाई **2006** तक रही। इस
 अवधि में इनका चरित्र एवं आचरण **अच्छा** रहा है।

अंक पत्र

क्र. सं०	विषय	अधिकतम अंक			प्राप्तांक			कृपांक
		परीक्षा अंक	सत्रांक	योग	परीक्षा अंक	सत्रांक	योग	
1.	प्रयोगात्मक	300	100	400	256	95	351	/
2.	सैद्धान्तिक	100	20	120	53	19	72	
3.	कार्यशाला गणना एवं विज्ञान	50	10	60	40	09	49	
4.	प्राविधिक कला	50	20	70	42	19	61	
5.	सामाजिक अध्ययन	50	—	50	31	—	31	
	महायोग	—	—	700	—	—	564	

जन्म तिथि (स्कूल के प्रमाण पत्र के अनुसार) **01-06-1988**

[Signature]

निर्माणकर्ता

[Signature]

जोचकर्ता

प्रधानाचार्य

2.11.06
प्रधानाचार्य

भरत जी वर्मा
(प्रमाणपत्र धारक के हस्ताक्षर)

दिनांक **10/11/2007**

सचिव

एन. सी. वी. टी.

राष्ट्रीय औद्योगिक प्रशिक्षण संस्थान
बलिया

ADNOC OFFSHORE

P.O.Box 303, Abu Dhabi, United Arab Emirates
Telex 22284 EM



Medical Fitness



Date : 10/5/2021

Name	Bharat Ji Verma
Employee Number	E007004
Request Number	OP0028531
Optima Number	581553
Company	CONTROL & APPLICATIONS EMIRATES

The above mentioned employee has been found medically

Fit (Renewal)

Report Issue Date	20/09/2021
Next Medical Due Date	19/09/2024
Remarks	Adopt a diet low in saturated fat, high in vegetable & fruits. Advised to maintain ideal BMI (18.5 – 24.9).

Doctor's Name	Zuhaib bin Saeed (ADNOC Offshore -)
License Number	GD20634



SEATS

System for Eligibility to Access and Travel to all ADNOC Offshore Sites





TRAVEL CARD

OPTIMA NO : 581553

NAME : BHARAT JI VERMA

COMPANY : CONTROL & APPLICATIONS EMIRATES

Das

☐ **ADNOC OFFSHORE**

☐ **ADNOC LNG**

☐ **AIRPORT**

☐ **HARBOUR**

☒ **OFFSHORE**

☐ **ZIRKU**

☐ **ARZANAH**

☐ **SARB**





☐ **UZ750**

☐ **Artificial Island**

☐ **Bunduq**

Expiry Date: 19/10/2024

**أدنوك البحرية
ADNOC Offshore**

	UPPER ZAKUM 750 PROJECT No. P7512	Petrofac Petrofac Emirates DSME
	QA/QC Department	
COMPETENCE CARD – FOC GLANDING & SPLICING		
	TEST PASSED	
	 	
Bharat Ji Jawahir Verma	PED QA/QC	ZADCO QA/QC

	
	Bharat Ji Verma
CONTROL & APPLICATIONS EMIRATES	
OPTIMA NO# 581553	
	
أدنوك البحرية ADNOC Offshore	






7004
545

Petrofac 	PTW ID No: PED-PH-239
Upper Zakum 750 Islands Surface Facilities - EPC2	
PERMIT TO WORK	
NAME:	 BHARAT JI VERMA
DESIGNATION:	 OPTIC FIBER TECHNICIAN
COMPANY:	 CAE
VALID TILL:	 20-Feb-17
PERMIT HOLDER	
 PED Trainer	 HSSE Manager

 Numero Uno		Expiry Date 21-09-2023
	BASIC H2S TRAINING (OPITO APPROVED) Course code - 9014	
	Bharat Ji Jawahir Verma-E007004 Assessed as per learning outcomes A.5 of Basic H2S Opito - 9014	
	Certificate No: 10939014220921 22938	Issue Date 22-09-2021

Petrofac 	PTW ID No: PED-PH-239
Upper Zakum 750 Islands Surface Facilities - EPC2	
PERMIT TO WORK	
NAME	: BHARAT JI VERMA
DESIGNATION	: FIBER OPTIC TECHNICIAN
COMPANY	: CAE
VALID TILL	: 10 MAR 2019
PERMIT HOLDER	
 HSSE Trainer	 HSSE Lead


This is to certify that BHARAT JI JAWAHIR VERMA has been assessed against and met the learning outcomes of Tropical Basic Offshore Safety Induction & Emergency Training
OPITO Registration Code: 5501
 Course Date: 26-28/09/2021 Expiry Date: 27/09/2025 Certificate No: 52515501280921413203
APPROVED  General Manager Training Centre Signatory

	UPPER ZAKUM 750 PROJECT No. P7512	Petrofac 
	QA/QC Department	
COMPETENCE CARD – FOC GLANDING & SPLICING		
	TEST PASSED	
		
Bharat Ji Jawahir Verma	PED QA/QC	ZADCO QA/QC

Petrofac  Upper Zakum 750 Islands Surface Facilities - EPC2	PTW ID No.: PED-PH-239
PERMIT TO WORK	
NAME:	BHARAT JI VERMA
DESIGNATION:	OPTIC FIBER TECHNICIAN
COMPANY:	CAE
VALID TILL:	20-Feb-17
PERMIT HOLDER	
 PED Trainer	 HSSE Manager

Petrofac  PTW ID No. PED-PH-239

Upper Zakum 750
Islands Surface Facilities - EPC2

PERMIT TO WORK

NAME : BHARAT JI VERMA
DESIGNATION : FIBER OPTIC TECHNICIAN
COMPANY : CAE
VALID TILL : 10 MAR 2019

PERMIT HOLDER

PED AUTHORIZED SIGNATURE
 HSSE Trainer
 HSSE Lead

 GTSC



This is to certify that
BHARAT JI JAWAHIR VERMA
has been assessed against and met the learning outcomes of
Tropical Basic Offshore Safety Induction & Emergency Training

OPITO Registration Code: 5501

Course Date: 26-28/09/2021
Expiry Date: 27/09/2025
Certificate No: 52515501280921413203

 **APPROVED**


General Manager
Training Centre Signatory

	UPPER ZAKUM 750 PROJECT No. P7512	Petrofac 
	QA/QC Department	

COMPETENCE CARD – FOC GLANDING & SPLICING

TEST PASSED

NAME	Bharat Ji Jawahir Verma(E007004)
DESIGNATION	FOC Technician
COMPANY	Control & Application Emirates
DATE	27-Jan-2016

ELECTRICAL CABLE TERMINATION COLOUR CODE

L	N	PE	L1	L2	L3	N	PE
Red	Black	Y/G	Red	Yellow	Blue	Black	Y/G
GLAND SIZE	20S/16,20S,20			25S,25,32,40			
STRIP LENGTH	15mm			18mm			
GLAND SIZE	50S,50,63S,63						
STRIP LENGTH	21mm						

 ADNOC



Bharat Ji Verma


CONTROL & APPLICATIONS EMIRATES

OPTIMA NO# 581553



أدنوك البحرية
ADNOC Offshore

7004
545

Numero Uno  نيومرو ونو

BASIC H2S TRAINING (OPITO APPROVED) Course code – 9014


Bharat Ji Jawahir Verma-E007004





Assessed as per learning outcomes A.5 of
Basic H2S Opito - 9014

Certificate No: 10989014220921 22938


Issue Date: 22-09-2021

Expiry Date: 21-09-2023




	UPPER ZAKUM 750 PROJECT No. P7512	Petrofac Petrofac Engineering DSME Doha, Qatar www.petrofac.com
	QA/QC Department	
COMPETENCE CARD – FOC GLANDING & SPLICING		
	TEST PASSED	
		
Bharat Ji Jawahir Verma	PED QA/QC	ZADCO QA/QC

Petrofac  DSME Upper Zakum 750 Islands Surface Facilities - EPC2	PTW ID No: PED-PH-239
PERMIT TO WORK	
NAME: BHARAT JI VERMA DESIGNATION: OPTIC FIBER TECHNICIAN COMPANY: CAE VALID TILL: 20-Feb-17	
PERMIT HOLDER	
 PED Trainer	 HSSE Manager

Petrofac  DSME Upper Zakum 750 Islands Surface Facilities - EPC2	PTW ID No: PED-PH-239
PERMIT TO WORK	
NAME : BHARAT JI VERMA DESIGNATION : FIBER OPTIC TECHNICIAN COMPANY : CAE VALID TILL : 10 MAR 2019	
PERMIT HOLDER	
 HSSE Trainer	 HSSE Lead

P<INDVERMA<<BHARAT<JI<<<<<<<<<<<<<<<<<<
V5134827<9IND8402024M33011001074851264323<04



V5134827

पिता / कानूनी अभिभावक का नाम / Name of Father / Legal Guardian

JAWAHIR VERMA

माता का नाम / Name of Mother

GYANTI DEVI

पति या पत्नी का नाम / Name of Spouse

VANDANA VERMA

पता / Address

CHHNNAHAR, HANUMAN GANJ

BANSDIH ROAD, BALLIA

PIN: 277001, UTTAR PRADESH, INDIA

पुराने पासपोर्ट का न. और इसके जारी होने की तिथि एवं स्थान / Old Passport No. with Date and Place of Issue

L3492627

25/07/2013

ABUDHABI

फाइल न. / File No.

UE1074851264323

